


## Manganese fertilizer solution NordFert Micro Mn 165 g/l



Volume percent composition (%):

Manganese (Mn), water soluble

16,5

Date of manufacture: 00.00.0000
Expiration date: 00.00.0000
Registration number: 000000000

## Safety and storage measures

To maintain the safety of the product quality packaging of fertilizers should be stored in a cool, dry, indoor place at temperature between +10 and +25°C, apart from the food and drugs. Avoid storage near flammable gases, electric motors and internal combustion engines, instruments, and chemicals. Do not leave empty packages in places easily accessible to children or pets. The usual precautions for handling fertilizers should be observed. Wash hands and face after handling the product. In case of contact with eyes, flush with water. After contact with skin, wash with water and soap if necessary. If ingested, rinse mouth and drink plenty of water. Take steps to control product discharge into the environment. Notify appropriate authorities if required and arrange for the recovery of spilled material. Methods for Clean-up: Dilute and wash away with large amounts of water. Dispose of in accordance with local regulation.



## **Advantages:**

- Complements crop nutrition and controls absorption of nutrients.
- Reduces manganese deficiency quickly and efficiently.
- Corrects abnormal functioning of processes of crops.
- Increases the amount of enzymes related to respiration processes.
- Promotes photosynthesis, nitrogen metabolism and its uptake by plants.
- Activates fat forming enzymes.
- Increases yield, strengthens root system, crop size.
- Enhances the sweetness of fruits and berries.

## Application:

Can be used in all fertigation systems and foliar application. Especially recommended in case of weak development or nutrient deficiency symptoms. Use only in case of need. Do not exceed recommended dosages. In case of use with plant protection a preliminary mixing is recommended. Shake gallon well before use.

Сгор		Growth stage	Dosage (I/ha)
Grains		Beginning of tillering; Tillering; Elongation of stem.	1-2
Oilseed rape		Rosette formation; Beginning of spring vegetation; Beginning of stem extension; Green bud phase; Beginning of flowering.	1-2
Legumes		Vegetative growth; Before flowering; After flowering.	1-2
Potato		Complete shooting; Before flowering; Maturation.	1-2
Beet	NO	4-10 leaf phase; 14 days after; Before closing within the rows.	1-3
Recomme <mark>nd</mark> ed amount of water: field crops – 150-300 l/ha; greenhouse and garden – 150-300 l/ha			

Net: 20 l (28 kg)