

NP-fertilizer solution Nordfert Urea Phosphate

Mass percent composition (%):

Total nitrogen (N)	9
Ureic nitrogen (NH2-N)	9
Biuret	0,16
Total phosphorus pentoxide (P2O5), water soluble	21,25

Density: 1.32 g/ml

Volume percent composition (%):

Total nitrogen (N)	12
Ureic nitrogen (NH2-N)	12
Biuret	0,16
Total phosphorus pentoxide (P2O5), water soluble	28

Date of manufacture: Expiration date: Registration number: 00.00.0000 00.00.0000 000000000

Safety and storage measures

To maintain the safety of the product quality packaging of fertilizers should be stored in a cool, dry, indoor place at temperature between +10 and +25°C, apart from the food and drugs. Avoid storage near flammable gases, electric motors and internal combustion engines, instruments, and chemicals. Do not leave empty packages in places easily accessible to children or pets. The usual precautions for handling fertilizers should be observed. Wash hands and face after handling the product. In case of contact with eyes, flush with water. After contact with skin, wash with water and soap if necessary. If ingested, rinse mouth and drink plenty of water. Take steps to control product discharge into the environment. Notify appropriate authorities if required and arrange for the recovery of spilled material. Methods for Clean-up: Dilute and wash away with large amounts of water. Dispose of in accordance with local regulation.



Advantages:

- Stimulates cell division and hastens growth.
- Contributes to initial development of the plants.
- Controls plant growth and development, and provides normal shape and structure of fruit.
- Improves flowering and fruit set.
- Strengthens immune system and the stem.
- Improves rooting and root formation, increases the amount of tubers.
- Especially recommended in case of a weak rooting and bad weather conditions, or if the content of phosphorus in the soil is too low.

Application:

Can be used in all fertigation systems and foliar application. Can be mixed with plant protection. A preliminary mixing of fertilizer with plant protection in a small cup is recommended. Shake well before use.

Сгор	Growth stage	Dosage (I/ha)
Grains	Before tillering	3-4
	Tillering	4-5
	Heading	3-4
Oilseed rape, linen	8-10 leaf phase	3-5
	Every 10-14 days	3-5
Sugar and fodder beet	4-10 leaf phase	3-4
	Every 10-14 days	4-5
Potatoes	Complete shoots	3-4
	Before flowering	3-4
Corn, sunflower	6-8 leaf phase	3-4
	Every 10-14 days – 2 applications	3-4
Legumes	During vegetation 2 applications every 7-10 days before flowering	3-4
Strawberry	The end of flowering	3-4
	2 applications every 7-10 days	3-5
Root vegetables	3 weeks after germination	3-4
	Every 10-14 days – 2 applications	3-4
Chrysanthemums	Water from beginning of September every 7-10 days with a solution of 30 ml/10 l – 3-4 applications	

Net: 20 l (26.4 kg)

Country of origin: Estonia / EU Producer / Supplier: NordFert OÜ Fosforiidi 4, Maardu, 74114, Estonia Email: info@nordfert.com